



**BUILDING CODE MANUAL
COUNTY OF LOS ANGELES
DEPARTMENT OF PUBLIC WORKS
BUILDING AND SAFETY DIVISION
Based on the 2011 LACBC**

**#69
1704
Article 1
11-15-13
Page 1 of 2**

SPECIAL INSPECTION – EPOXY AND OTHER ADHESIVE CONNECTIONS

Reinforced Concrete, Pre-stressed Concrete and Structural Masonry Special Inspectors are permitted to inspect work that uses approved epoxy or other approved adhesives, when used in accordance with the evaluation reports; such applications shall include:

1. Bolts and anchors.
2. Epoxy injections used to repair structural cracks in concrete and masonry.

No other specialties are approved for these types of work.

Exception: A structural steel bolting and welding special inspector is authorized to perform such work if the individual holds a current City of Los Angeles Drilled-In-Anchor rider card.

Inspection of injection into wood members shall be by the engineer of record or his designee.

Questions regarding Special Inspectors should be referred to the Research Section.


Supersedes BCM 1701.5 Article 2 dated 08-02-11

WRITTEN BY JAMES GUSTIN
Supervising Bldg and Engr Specialist

REVIEWED BY JUAN MADRIGAL
Senior Civil Engineer

RECOMMENDED BY

APPROVED BY



HASSAN ALAMEDDINE
Chief Engineer



RAJ PATEL
Superintendent of Building