## **Greater Los Angeles County Integrated Regional Water Management Plan**

South Bay Steering Committee West Basin MWD Carson, CA

Tuesday December 2, 2008 1:30 – 3:30 pm

## **Meeting Notes**

## **Present:**

Leighanne Reeser, West Basin MWD
Persephene St. Charles, RMC (phone)
George De La O, Los Angeles County Flood Control
Patrick Arakawa, Los Angeles County Department of Public Works
Leighanne Reeser, West Basin MWD
Marilyn Lyon, South Bay Cities Council of Governments/South Bay
Environmental Services Center
Jim Smith, Los Angeles County Parks and Recreation

Changmii Bae, Los Angeles County Parks and Recreation Meredith McCarthy, Heal the Bay Theresa Wu, Water Replenishment District Rob Beste, City of Torrance Shauna Epstein, Westside Cities Council of Governments (phone) Dawn Hock, RMC

Agenda Item	Topic/ Issue	Discussion	Action Item/Follow Up
1	Welcome, Introductions	Leighanne led the introductions.	- Op
2	November Steering Committee Meeting Notes	Notes were approved with comments.	
3	Overview of November Leadership Committee Discussion and Outcomes	<ul> <li>A handout was provided that summarized the Leadership Committee (LC) meeting highlights.</li> <li>IRWMP News: It was suggested that the region compete for all the money designated for the LA funding area rather than compete against Ventura and Santa Clara, and have the DWR decide the funding split</li> <li>Steering Committees are holding project workshops in January</li> <li>Ad Hoc Committees - DWR will be contacted to define "conservation" and egional projects will be taken to the Leadership Committee for discussion and consideration in January.</li> <li>Consultant Activities</li> </ul>	

The Mission of the Greater Los Angeles County IRWMP is to address the water resources needs of the Region in an integrated and collaborative manner.

			T
		<ul> <li>Planning needs for each sub-region have been completed</li> </ul>	
		<ul> <li>Attempting to equalize DAC efforts across all sub-regions</li> </ul>	
		<ul> <li>A scope of work is being developed to include additional scope items, including the regional acceptance process and consultant assistance with the SCs through June. Budget for additional Steering Committee (SC) assistance will come from Task 4 and contingency based on pledged contributions. Budget for the Regional Acceptance process will come from Task 5.</li> </ul>	
		The new LA Flood Control District chief is Gail Farber, who will be attending LC meetings.	
4	Report on November Roundtable of Regions and IRWMP Workshop	A handout summarizing the IRWMP Workshop was distributed to the group. George De La O attended and provided a report that covered the following:	
	and invivior violishop	Regional Acceptance Process	
		Funds Available	
		Implementation Grant timeline	
		Planning Grant (\$39M) timeline	
		<ul> <li>Identify projects now through April 2009 based on best: project, DAC project, water conservation project, flood management projects, other project (TMDL, stormwater, etc.)</li> </ul>	
5	Project Prioritization Process	Lists of complete projects for the South Bay sub-region and Regional projects were distributed to the group. These lists were subdivided into categories for DAC projects, conservation projects, and other projects.	Leighanne to send out a workshop invitation email by Wednesday, December 3 <sup>rd</sup> to project proponents.
		<ul> <li>The group agreed that it is important to look for integrated projects. For example, a project being located in a DAC and having conservation benefits would give it a higher ranking</li> </ul>	Dawn to provide Leighanne with the resorted,
		It discussed that another way to prioritize projects would be to look for those projects which provide the greatest benefit	consolidated project list, and proponent emails.
		The group agreed that regional projects need not be considered by the group as they will be evaluated by the Leadership Committee	RMC to prepare a workshop agenda and
		South Bay DAC project list was discussed as follows:	individual project information sheets for the
		<ul> <li>Several projects were identified that were not in disadvantaged communities. These will be moved to the "other projects" list.</li> </ul>	workshop.
		<ul> <li>The definition of how to identify a DAC was discussed. The state</li> </ul>	

		identifies DACs at the city level, where the city's median	
		household income 80% or less of the state median income. Going by census tract may be a more accurate way of defining DACs.	
		South Bay Conservation project list was discussed as follows:	
		<ul> <li>A project from the Upper San Gabriel Valley MWD was removed from the list as it is not in the South Bay sub-region</li> </ul>	
		<ul> <li>Well Field projects from the City of Torrance and LADWP may be considered Regional projects</li> </ul>	
		South Bay Other project list was discussed as follows:	
		<ul> <li>Projects removed from the DAC list and not included on the Conservation project list were added to this list.</li> </ul>	
		<ul> <li>It was discussed that four projects from Friends of Gardena Willows could be combined into one project.</li> </ul>	
		Overall, 18 proponent agencies were identified for inclusion at the workshop	
		• A workshop will be held on Tuesday, December 9 <sup>th</sup> from 1:00pm to 4:00pm for proponents to discuss their top projects.	
6	DAC Next Steps	This item was not discussed	
7	Funding Contribution Status	This item was not discussed	
8	Future agenda items,	Items to address at the next LC meeting include:	
	Items to report at Leadership Committee	Identifying a set of core criteria for choosing projects	
	meeting, Other Items	Whether there should be a limit on the number of projects a sub-region can choose or a limit on the amount of grant money requested	
	Next Meetings	Leadership Committee January 28, 2008, 9:30 am to 12:00 pm LA County DPW	
		South Bay Steering Committee January 6, 2008, 1:30 pm to 3:30 pm West Basin MWD	

ID#	Title	Agency	Description	DAC	Conserv	Flood	Total Project Cost	Matching Funds	Funding Needed (Min accept)	Environmental Documentation	Benefits	Readiness to Proceed & Start Date
14438 #1	Storm Drain Improvements BMP Hawthorne Boulevard between El Segundo	City of Hawthorne	This project will construct drainage improvements along Hawthorne Boulevard between El Segundo Boulevard and Rosecrans Avenue in the City of Hawthorne one area in the City that has frequent and sever flooding due to aging and deficient storm drain system. Implementation of the project	X (adjacent to DAC)	Х	Х	\$2.5M	25%	\$2M	Preliminary engineering	Prevent flood damage to homes & businesses Groundwater recharge	
	Blvd.		elements include the replacement of storm drains, drainage pipes, cross gutters, and installation of filtering devices to improve flood management and enhance the quality of storm drain runoff. Best Management Practices will be implemented, bringing this area into compliance with State and Federal requirements. The City is prepared to proceed with design of this project in January 2009 and will provide 25% local matching funds.	Notes: 300	acres, 1,15	0 residen	ts in area					
14413 #2	Storm Drain Improvements BMP 131st Street, Simms & Chadron Ave.	City of Hawthorne	This project will construct drainage improvements on 131st Street, Simms and Chadron Avenue in the City of Hawthorne one area in the City that has frequent and sever flooding due to aging and deficient storm drain system. Implementation of the project elements include the replacement of storm drains, drainage pipes, cross gutters, and installation of filtering devices to improve flood management and enhance the quality of storm drain runoff. Best	(in DAC)	Х	X	\$1.15M	15%	\$1M	* PSR Completed * Enviro Doc	* Flood Control * WQ BMPs * Catch Basin * Stormwater Drains	* Workplan complete * PE process in Jan * Begin construction Jan. 2009 - 6 months
			Management Practices will be implemented, bringing this area into compliance with State and Federal requirements. The City is prepared to proceed with design of this project in January 2009 and will provide 15% local matching funds.	Notes: Wit	hin Domingu	ez Chan	nel watershed, 100	acre drainag	e			
14432 #3	Storm Drain Improvements BMP Prairie Avenue & El Segundo Boulevard	City of Hawthorne	This project will construct drainage improvements on Prairie Avenue and El Segundo Boulevard in the City of Hawthorne one area in the City that has frequent and sever flooding due to aging and deficient storm drain system. Implementation of the project elements include the replacement of storm drains, drainage pipes, cross gutters, and installation of filtering devices to improve flood management and enhance the quality of storm drain runoff. Best	X (adjacent to DAC)	Х	Х	\$1.8M	20%	\$1.5M	* PSR complete * Categorical exemption expected	* Improve flooding * WQ BMPs	* PreDesign in Jan * Workplan complete * Begin construction Jan-09 - 7 months
			Management Practices will be implemented, bringing this area into compliance with State and Federal requirements. The City is prepared to proceed with design of this project in January 2009 and will provide 20% local matching funds.	Notes: No	existing cate	h basins	in area . All new c	onstruction. 20	00 acres.			
14315		City of Hermosa Beach	The Upper Pier Avenue LID Retrofit is part of streetscape improvement plan which arose from a community consensus process. The project provides the opportunity to retrofit for treatment of stormwater/urban runoff from streets and existing development in the downtown commercial corridor. Modular treatment/infiltration units along the 1800 feet of Upper Pier Avenue from		Х	X	\$4.5M	\$1.3M \$2M Prop C		MND - in clearinghouse today	* Stormdrain benefits * Treatment BMP *Dry and wet flow reduction	*October - 30% complete * Complete design in Jan-09
			Valley Drive to Hermosa Avenue will treat runoff from a 36-acre drainage area. Pretreatment for trash and gross solids will be followed by biofiltration and infiltration. The project will include significant drainage improvements through construction of a new storm drain to reduce flooding, while at the same time providing treatment and infiltration of dry weather and wet-weather baseline flows to reduce pollutant loading at the beach. The streetscape improvement also provides the opportunity to bring reclaimed water service for landscape irrigation on Pier Avenue, Hermosa Avenue, Noble Park, and the beach public restrooms.	3 AC recre	ching funds ational area	from SRI	F mitigation fund, e				4.7 AF	
356 #1		City of Los Angeles, Department of Public Works	Machado Lake will be enhanced through removal of contaminated sediments, installation of an aeration system, installation of an outlet device and spillway, trash capture devices in storm drain outlets, and creation of low flow channel (through the marsh to separate low lake flow from storm water flow). Habitat	Х	Х		\$100M	70-80% (Prop O)	\$20M-30M \$5M Minimum	Concurrently with design 18 months out	* Wetlands * Full capture or catch basin screens	* Pre-design phase * Cosntruction 2011- 2014
			improvements in the marsh zones will be achieved by removal of non-native invasive plants, planting native species and debris removal. The park will be enhanced through a series of park improvements that will also include installation of pervious paving material in parking lot, installation of bioswales along portions of parking lots and facilities, and installation of a "smart" irrigation system.	Notes: Par	k enhancem	ents, use	e stormwater runofl					

ID#	Title	Agency	Description	DAC	Conserv	Flood	Total Project Cost	Matching Funds	Funding Needed (Min accept)	Environmental Documentation	Benefits	Readiness to Proceed & Start Date
7105 #2	Exposition Green Corridor	Department of	Reconfiguring 20 acres of rail right of way to redirect perennial Stone Canyon Creek and storm drains into swale, detention basins, treatment wetlands, and micro-pools for cleaning and conserving dry weather and storm flow on unused railway right of way consistent with potential transit and parkland construction.		Х		\$7.9M		\$6.3M	Draft EIR by MTA will need to begin	* Groundwater infiltration * 8 CFS of stormwater reuse for stream	* Construction to start Spring 2011
				Notes: To	be construc	ted concu	rrently with rail lin	e construction.	Within Ballona	Creek.		
1605 #3	Penmar Water Quality Improvement and Runoff Reuse Project	City of Los Angeles, Department of Public Works	The Penmar Water Quality Improvement and Runoff Reuse Project includes installation of hydrodynamic separators, underground detention tank, chlorination facility, pump station and overflow systems. Off-site surface runoff will be diverted to project site. The diverted runoff shall be treated/disinfected. The disinfected effluent will be pumped through a smart irrigation system to				\$24M	Matching with Prop O	\$10M	Will be conducted during design phase		* In Pre-design * Construction start late 2010
344 #1	Greenbelt Low-flow Infiltration Project	City of Manhattan Beach	decrease the current landscaping irrigation demand.  The project will utilize the linear greenbelt parkland which runs through the City of Manhattan Beach (City) to intercept and infiltrate dry weather and wet weather low flows from existing storm drains that intersect the parkway. The project will preserve the existing recreational benefits of the linear parkland as a jogging/walking path. The low flows will be screened for trash and gross solids removal and will then be directed by gravity flow to a subsurface infiltration system which will also provide limited storage of storm flows for subsequent percolation into the sandy soils below the greenbelt. Storm flows which exceed the infiltration or storage capacity of the percolation lines will return by gravity flow to the storm drain system for discharge at the storm drain	Notes:		Х	\$600,000	\$100,000 hard dollars and in-kind	\$500,000	Cat-Ex anticipated	* WQ benefits * Infiltration of stormflows * Flood protection	* Flow monitoring program * 9 months to construction
2006	Model Equestrian Center	City of Rolling Hills Estates	outfall. The Greenbelt Low Flow Infiltration system will effectively divert year- round dry-weather and wet-weather low flows from the storm drain system.  Site design will reduce pollutant loads by retaining stormwater on site and directing drainage from upgradient areas away from contact areas where horses are housed, groomed, or exercised. Water utilized for washing down horses is to be diverted to the sanitary sewer, while all other water utilized for		X (SEC)	Х	\$1.5M	\$1M (Prop A from 1996)	\$475K	* Jan IS will begin * No EIR * Geotech completed	* WQ improvements * Education * Reduce dry and wet weather flow	* Bid docs can go out now * Construction in 2009
			dust control and irrigation will be applied in a manner to prevent dry weather runoff. Design objectives/elements will include: erosion and sediment control, structural controls for integrated pest management (IPM), landscape & exterior design to reduce heat islands, water conservation including cisterns to capture and reuse roof runoff for landscape irrigation and/or dust control, equine-safe drought-tolerant landscaping and native plant buffers, trail connectivity, use of local/regional materials, and construction waste minimization. Interpretive signage placed throughout the facility will identify environmental design elements and a central display board with tip cards will provide more detailed	Notes: Cis	sterns for drip	o irrigation	n & wet weather			Completed	weather now	
301 #1	16th Street Watershed Runoff Use Demonstration Project		information.  2 or 3 stage treatment, storage, infiltration and/or reuse project for all dry weather runoff, and up to 80% wet weather. Primary stage to remove trash, debris, and sediments. Secondary stage to filter out soluble pollutants, like heavy metals and organics, oil and grease. Final stage for storage and reuse, overflow to infiltration zone.		Х	Х	\$5M	15%	\$4.25M	Cat-ex (will take 1 month)	* Remove 80% wet weather and dry weathe flows * WQ, WS	Construction begin in r2010 (to begin after Penrod is completed in 2010)
				Notes: Co	ordinated wi	th LA Per	nmar project. 200 a	acres.		•	•	

ID#	Title	Agency	Description	DAC	Conserv	Flood	Total Project Cost	Matching Funds	Funding Needed (Min accept)	Environmental Documentation	Benefits	Readiness to Proceed & Start Date
#2	Memorial & Ozone Parks Runoff Treatment and (Re)Use Project - 1	City of Santa Monica	These projects (or one park depending upon grant award) will involve 2-3 treatment systems in series, harvesting stormwater and dry weather runoff from the main storm drain and surface gutters passing by the parks. Runoff will diverted to a primary screening/separation system to remove floatables and larger materials (trash, debris, sediments), then a secondary system to remove soluble pollutants and then a tertiary storage/reuse vault. The stored	Notes: 20	X 0 AC along I	X	\$2M	15%	\$1.7M	Cat-ex	* Remove 80% wet weather and all dry weather flows *WQ, WS	Construction to begin 2010
			runoff will be used for landscape irrigation and/or infiltation into the ground (overflow, excess storage). The systems will be underground.		<b>.</b>							
#3	Storm Drain Runoff Retrofit & Infiltration Stations	City of Santa Monica	Retrofit existing storm drain nexus points with deep infiltration zones for dry and wet weather capture and infiltration to remove a variety of pollutants of concern. Cored or augered infiltration zones will be installed to capture runoff	Notes:		Х	\$1M	15%	\$850K	Cat-ex	Six locations for WQ	Construction will begin late 2010
			for infiltration. Runoff fills the zones and infiltrates over time. Once filled, the runoff bypasses and continues as it normally does along the storm drain system. The zones will be fileld with rock or plastic matrix to store runoff for infiltration. Trash/debris will be removed at the top of the zone and carried away by runoff flows or by city staff.	Notes.								
	Stormwater Basin Enhancement Program	City of Torrance	This project would convert the Amie, Henrietta and Entradero Stormwater Basin into stormwater treatment systems using trash screens, wetlands treatment and infiltration basins as BMPs for Santa Monica Bay Bacteria TMDL compliance and provide 26 acres of open space for wildlife habitat. These BMPs are also effective for addressing sediment, nutrients, trash, metals, oil, grease, organics and oxygen demand. SCADA controlled valves at the Amie Basin Pump Station will divert dry weather run off to the Dominguez Channel and reduce flows at the County's low flow diversion pump station for Herondo Drain. Infiltration basins at each site also contribute to groundwater		X	X X	\$4.5M	25% from SMBRC or General Funds	\$3.4M	Done	* Helps to meet bacteria and trash TMDL * 26 AC open space for habitat and education * Reduces sediment, nutrients * WS with GWR	* Final design under development *10 months until ready to construct * Have letters of support
			recharge. The Pre-design, cost estimates and CEQA process are complete. The City owns the properties so with funding this project can go through final design and to construction with in a year. Recycled water proposed at Entradero Basin would reduce potable water consumption by 25 afy.	Notes. III	e cost for er	a or pipe	ueaunentis \$150	wi, making tris	option more co.	st enective. 23 AFT	or Entradero potable offse	t with KVV
	Restoration		The project is currently in the feasibility stage, with a broad range of potential restoration scenarios being evaluated for their hydrologic, water quality, habitat, recreational, flood control and economic benefits and costs. These alternatives range from increasing water flow to existing and potential wetland areas with little grading to significant excavation of filled areas and			Х	\$150M	\$15M \$30M in play	\$100M-\$150M still needed	* Starting CEQA now * EIR complete in 18 months	* 0.60 AC habitat * High quality wetlands	* Monitoring plans * Conceptual plans
		Engineers and SMBRC)	tidal and muted tidal water regimes and reconnect Ballona Creek to its historic floodplain. Increases to the tidal prism could provide increased flushing of Ballona Creek and areas of Marina del Rey. Plans include construction of treatment wetlands at locations where tributary drainages enter the project area.	Notes: Ph	ases will be	available	for funding in earl	y 2009. Phase	1 won't be read	ly until early next yea	ar.	
#1	Flood Relief and Multiuse Enhancement Project	Marina del Rey Watershed Responsible Agencies (LA County DPW)	This project includes the excavation of sediments in Oxford Retention Basin, the construction of a connecting relief drain, and the installation of a technology based on the principle of water rejuvination to improve the quality of the water discharged into Basin E. Other multi-use features will also be included as part of this project such as upland habitat landscape improvements, ornamental fencing, jogging/walking paths, interpretive signs and observation decks. Operational and maintence features will also be	Notes: BM	1P treatmen	X in Basin	\$13M	\$2M	\$7M-\$11M pending other sources	* Study in 2009 * Will need MND or EIR	* Multiple benefits * 2 acre flood * WQ - Marina Basins	* Final design late 2009 * Construction April 2011
	Canyon at Abalone Cove	Conservancy	improved.  Restoration and enhancement of 2 acres of riparian and upland native habtiat in Altamira canyon will stabilize soils and minimize surficial land movement and discharge of sediment into the Abalone Cove State Ecological Preserve. Habitat restoration will be conducted in a manner that limits/minimizes surface water infiltration into the landslide complex by planting deep-rooted native shrubs and trees along the canyon to assist in stabilizing surficial soils and absorb surface water and shallow groundwater to prevent infiltration into deeper geologic structures.	Notes:			\$84K	\$17K	\$67K	Cat-ex	* 2 acres habitat for endangered species * Sediment reduction and * Slide area reduction * WQ	* Ready to go * Could have plan ready to go * 3 years monitoring.

ID#	Title	Agency	Description	DAC	Conserv	Flood	Total Project Cost	Matching Funds	Funding Needed (Min accept)	Environmental Documentation	Benefits	Readiness to Proceed & Start Date
341	Goldsworthy Desalter Expansion	Water Replenishment District of Southern California	This project will remediate an existing saline plume located in the West Coast Groundwater Basin through advanced treatment consisting of reverse osmosis. The existing Goldsworthy Desalter products approximately 3,000 acre-feet per year and is provided to the City of Torrance.		X		\$18M	\$13.5M funded by project revenue		Phase 1 complete MND expansion	* Water supply * Saline WQ improvements * New water source and reclaim GW storage	*Ready to start
				Notes: Po	table offset-	3,000 afy	/					
	Water Recycling Facility- Phase V Expansion	West Basin Municipal Water District (Water Replenishment District)	This project is needed to offset imported water and groundwater supplies with the use of recycled water. Increased use of recycled water is needed in this area because of the demands put on imported water and groundwater supplies; and therefore water reliability is the goal of West Basin MWD. The project proposes to provide 100% recycled water for injection into the West Coast Barrier. West Basin MWD currently injects 75% of recycled water and		Х		\$43M	\$15M customers \$21M agency Bond financing	·	MND is done	* 100% RW effluent * 4,500 AFY for industrial use * WQ benefit * Seawater barrier - brine line	* PDR done * Design to begin 2009 * Construction to begin Aug. 2009 * Complete by 2011
			25% of imported water into the Barrier. This expansion will provide a total of 17,500 AFY of potable water supply. This project reduces the amount of imported water injected into the barrier by 25%, which is between 2.5 and 5.0 MGD. In addition, Chevron and El Segundo Power require recycled water for their processes in the amount of 0.43mgd and 0.32mgd, respectively. Two of the three sites currently receive recycled water. Chevron Refinery receives 9.3 mgd and the West Coast Basin Barrier receives 15 mgd.					,				
13716 #2	Schools & Parks Retrofit in the Disadvantaged Communities	West Basin Municipal Water District	West Basin has already been working with the DAC areas (school districts and park offices) to quantify the existing water using devices for both the indoors and outdoors: for the schools, the indoor devices that are in the restrooms,		Х		\$1.2M	\$420K		Categorically exempt	Conservation	* Already developed and ready to go * Awaiting funds
		(Los Angeles School Districts)	cafeterias and other facilities and the outdoor devices used for the landscaped areas; and for the parks, the indoor devices for the restroom facilities and building facilities, and outdoor devices for the landscaped areas. There are a total of 10 parks, 48 public and 34 private schools within the project's area. This project is \$1,262,030 and includes 431 high-efficiency toilets, 140 waterless urinals, 489 faucet aerators, 50 waterbrooms, 5 connectionless steamers, 41 pre-rinse spray heads, 100 flow restrictors, 12 showerheads, 40 conductivity controllers, 41 controllers, 289 irrigation nozzles, water audits/budgets for each site, and California Friendly Landscape Classes for the maintenance personnel.	Notes: Wo	ould provide	indoor an	nd outdoor conserv	vation devices,	including install	ation services.		

ID#	Title	Agency	Description	DAC	Conserv	Flood	Total Project Cost	Matching Funds	Funding Needed (Min accept)	Environmental Documentation	Benefits	Readiness to Proceed & Start Date
355	Lower Franklin Canyon Park	Council District 5	Features and natural resource restoration activities planned for the new park include, daylighting of the Higgins storm drain to create a constructed wetlands, 5,562 lineal feet of recreational paths and trails, 2 shade structures, 3 acres of orange groves, outdoor classroom, facility and interpretive signage, scenic overlooks, and restoration of the targeted reaches of the stream channel and riparian plant communities on the north and south sides of the inactive earthen dam. The project will restore 510 feet of the upper stream channel and 270 feet of the lower stream channel and will result in the creation of approximately 4 acres of riparian habitat. While the proposed project primarily addresses water quality, habitat and recreation needs, flood management is also addressed. The overall recreational objective of the projects is to make this area available for public parkland and open space uses, and to create an important link to the 600 acres of parkland immediately north that is part of the SMMNA.		X oponent did i	X not attend	workshop.					
366		Public Works	The project proposes a combination of Best Management Practices (BMPs) to enhance the stream and surrounding canyon as a result of erosion and sediment control measures, flood control, and water quality improvements through the infiltration of stormwater and associated pollutants. The BMPs include vegetated bio-swales/infiltration strips, catch basins, armoring and revegetation for bank stabilization, and creation of a step pool channel configuration. This network of BMPs will reduce downstream flow velocity and slope erosion, control stormwater runoff, filter and degrade stormwater pollutants, and capture trash and debris. The improvements will improve water quality in the Canyon's stream and ultimately the Los Angeles Harbor and San Pedro Bay (impaired water bodies) into which the stream flows.	Notes: Pro	oponent did i	X not attend						
1603	Stormwater Best	Department of Public Works	The Westminster Park (Dog Park) project includes installation of modular constructed wetland Best Management Practices (BMPs) within this project site. By installing these BMPs, on-site runoff, which is highly contaminated by dog feces, will be captured and treated prior to discharging into the storm drain system.		X pponent did i	ot attend						
1517		Department of Water and Power	The project consists of the construction of six new production wells at LADWP's Manhattan Well Field in the Central Basin to increase our total groundwater extraction capacity from 24 to 34 cfs. This will improve our operational reliability and flexibility and allow LADWP to enter into a conjuctive use program with the Water Replenishment District in the range of 15,000 - 30,000 acre-feet. Currently, the structrual integrity of the existing forebay and pump station are being evaluated to determine their life expectancy. Groundwater quality has not been an issue and no special groundwater treatment is expected at this time. The nature of the conjunctive use program will need to be developed in conjuction with the Water Replenishment District; however, it is expected that LADWP will be able to store water through in-lieu practices then extract the water as needed in a manner that will not cause harm to other water right holders in the basin.		X oponent did r	ot attend						
199	Gardena Willows Wetlands - Education	Friends of Gardena Willows	Interpretation and education of Gardena Willows Wetlands. Contract for development and installation of two interpretive panels and related brochures.	Notes: Pro	oponent did i	ot attend						
200		Friends of Gardena Willows	Correct erosion problems and improve maintenance of existing paths.  Construct the remaining paths within the preserve making all paths handicap accessible.	Notes: Pro	pponent did ı	ot attend						
195		Willows	Control of basic and exotic weeds and restoration of the wetlands preserve. Control of non-native plants. We will use mechanical modes of removal, primarily by manual means.	Notes: Pro	pponent did i	ot attend						
374	Restoration and Education at the Gardena Willows Wetland Preserve		Further restoration and management of the Preserve and development of a Nature Center and educational programs	Notes: Pro	oponent did i	ot attend						

ID#	Title	Agency	Description	DAC	Conserv	Flood	Total Project Cost	Matching Funds	Funding Needed	Environmental Documentation	Benefits	Readiness to Proceed &
245	Croundwater Decharge	City of Caraon	Construction of two groundwater mechanics cumps to receive reaf duals munoff						(Min accept)			Start Date
	Groundwater Recharge Sump for Carson City Hall	City of Carson	Construction of two groundwater recharge sumps to receive roof drain runoff from City Hall Buildings. Currently the roof drains are routed directly to the storm drain system.	Removed	from consid	eration. P	l Project not ready to	go.				
	Monitoring Program for JWPCP Marshland Enhancement Project	City of Carson and Sanitation Districts of Los Angeles County	Develop and implement project assessment and evaluation plan and monitoring plan in accordance with SWRCB guidance and AWQGP guidelines to assess water quality benefits and pollutant load reductions achieved by 17 acre wetland restoration and enhancement project that will function as an offline wetland treatment system for 2.16 million gallons per day of water from the Wilimington Drain. (The marsh construction program is fully funded but no funds are currently provided for monitoring and assessment.)	Proponent	t would like t	o remove	from database.					
312	Carson Freeway Wetland	City of Carson, Carson Redevelopment Agency	Acquire Brownfield property between the Dominguez Channel and the San Diego Freeway in the City of Carson and construct an engineered wetland to provide treatment of freeway storm water runoff and local dry weather flows from golf courses, local storm drains and/or the Dominguez Channel. Project includes linear jogging/bike path to provided critical recreational open space and enhance local redevelopment activity. The project is adjacent to two local golf courses and a planned mixed use development known as Carson Marketplace.	Removed	from consid	X eration. P	Project ready to go.					
	Hermosa Strand Low Flow Infiltration Trench	City of Hermosa Beach	Dry and wet weather low flow runoff from eleven storm drains along a 1.5 mile stretch of beach including the downtown commercial corridor will be diverted into an engineered infiltration trench. The project will take advantage of the unsaturated coastal sandy soil to effectively distribute and infiltrate these low flows. The storm drains discharging along this stretch of beach will be equipped with a structural diversion system to allow pump low flows into the engineered trench while allowing higher flows to bypass the trench and flow directly to the existing ocean outfall. The storm drain flows discharging from the downtown commercial area will receive pretreatment for oil and grease removal before entering the engineered trench.		nded throug	n Prop 50	) Clean Beaches Ir	itiative (\$1.72N	Л)			
7582	Catch Basin Cover Phase	City of Los Angeles, Department of Public Work	This project proposes the installation of CB opening screen covers in medium and low trash generation areas of the City. As trash is the primary target pollutant and will be either eliminated or significantly reduced by the installation of the CB covers. In addition, these CB covers will also reduce organic debris and sediment loading to the storm drain system. The CB opening screen covers are coarse screeens that are installed in the CB opening and prevent trash from entering the City storm drain system system. Each CB opening screen cover has a self-opening device activated by a presetermined street gutter flow to disengage its locking mechanis. These covers are designed to remian closed during both dry weather as well as small storms (		from consid	eration.						
3786	Imperial Highway Sunken Median	City of Los Angeles, Department of Public Works	The Imperial HWY stormwater BMP project will retrofit approximately a 1.3		X from consid	eration.						
4302	Rosecrans Recreation	City of Los Angeles,	Stormwater runoff from a site has the potential to contribute trash, oil and			Х						

ID#	Title	Agency	Description	DAC	Conserv	Flood	Total Project Cost	Matching Funds	Funding Needed (Min accept)	Environmental Documentation	Benefits	Readiness to Proceed & Start Date
	Center Stormwater Enhancement		grease, suspended solids, metals, gasoline and pathogens to the storm water conveyance system. The Rosecrans Recreation Center Stormwater Enhancements project goal is to minimize, to the maximum extent practicable, the introduction of pollutants of concern to site runoff entering the storm water conveyance system. Pollutants of concern conveyed through runoff may result in significant impacts in the watershed. Stormwater enhancements include a "smart" irrigation system, interlocking porous pavers in an existing parking lot and a new parking lot bioswales, vegetated retention basins, decomposed granite pathways, and a synthetic soccer field. The site will also be graded and landscaped to provide better drainage in the vicinity of the proposed sports fields and at the southern end of the park to direct flows to the treatment bioswales and retention basins. In addition, two new baseball fields will be furnished at the location	Removed	from consid	eration.			(MIII accept)			Start Date
1617	TEMESCAL CANYON RECREATION CENTER STORMWATER BEST MANAGEMENT PRACTICES		The BMPs proposed for the Temescal Canyon Recreation Center Stormwater Best Management Practices Project includes: 1-Diversion of off-site stormwater from existing stormdrain system to the project site. 2-Pretreatment of diverted stormwater through hydrodynamic separators. 3-Retention of pretreated stormwater in one underground detention tank. 4-Disinfection of the stormwater prior to irrigation. 5-Beneficial reuse of the treated stormwater through landscape irrigation and potentially firefighting through out the year.	Removed	from consid	eration.						
2117	Westchester-LAX Stormwater Best Management Practices	City of Los Angeles, Department of Public Works	The BMPs proposed for the Westchester-LAX Stormwater Best Management Practices Project includes: Diversion of off-site stormwater from existing stormdrain system to the project site, Pretreatment of diverted stormwater through hydrodynamic separators, Retention of pretreated stormwater in one underground detention tanks, Possible infiltration/re-use of the treated stormwater, Return of excess treated stormwater to the LFD during dryweather conditions, which will then be diverted to the Hyperion Treatment Plant for further treatment.	Removed	from consid	eration.						
10203	Manhattan Strand Low Flow Infiltration Trench	Beach	Dry and wet weather low flow runoff from 16 storm drains along a 1.5 mile stretch of beach including the commercial areas will be diverted into an engineered infiltration trench. The project will take advantage of the unsaturated coastal sandy soil to effectively distribute and infiltrate these low flows. The storm drains discharging along this stretch of beach will be equipped with a structural diversion system to allow diversion of low flows into the engineered trench while allowing higher flows to bypass the trench and flow directly to the existing ocean outfalls.	On hold u	ntil Hermosa	X is done. \	Vill apply for next	round.				
368	Peninsula Village Regional Stormwater Mitigation Program	Estates	sediment control measures, flood control, and water quality improvements through the infiltration of stormwater and associated pollutants. The BMPs include vegetated bio-swales/infiltration strips, catch basins, armoring and revegetation for bank stabilization, and creation of a step pool channel configuration. This network of BMPs will reduce downstream flow velocity and slope erosion, control stormwater runoff, filter and degrade stormwater pollutants, and capture trash and debris. The improvements will improve water quality in the Canyon's stream and ultimately the Los Angeles Harbor and San	Removed	X from consid	X eration.						
			Pedro Bay (impaired water bodies) into which the stream flows.									

ID#	Title	Agency	Description	DAC	Conserv	Flood	Total Project Cost	Matching Funds	Funding Needed (Min accept)	Environmental Documentation	Benefits	Readiness to Proceed & Start Date
	Street Sump Trib. to Machado Lakes for BMPs		retention/infiltration basin BMP for trash and nutrient TMDL compliance and provide open spaces for wildlife habitat. This project would install diversion structures that would divert the first 4.5 acre-feet of stormwater from a 71 acre tributary area away from the system tributary to Machado Lake (Wilmington Drain) to be retained and infiltrated in this basin. Trash screens would be installed at the basin outlet as a subregional BMP for easier trash collection. During the dry season the basin would remain an open space for wild life and retain urban run-off and nutrients form 71 acres. By diverting stormwater back into this basin, the City and County storm drain systems would have more capacity during rain events. This project would also increase groundwater recharge.		from consid	eration. C	Conceptual stage.					
319	Conversion of Walnut Ave. Sumps Tributary to Machado Lake for BMPs	City of Torrance	This proposed project would convert the Walnut Ave. Sumps back into a retention/infiltration basin BMP to address trash TMDL and pending nutrient TMDL compliance and provide open spaces for wildlife habitat. Flows that previously went to these sumps are now tributary to the Machado Lake. A diversion structure and piping would be constructed, using abandoned inlet pipes, to divert flows back into the basin until the basin was full up to the existing storm drain elevation. Trash screens would be installed at two inlets into the basin to collect trash. This project would maximize the drainage area that could be tributary to the retention basin and urban runoff would restore the area for wildlife use during dry weather. By diverting storm water into the basin, this project would increase capacity of the County storm drain systems downstream of the basin, SD 1040 & SD-1031. Infiltrating storm water also increases ground water recharge.		from consid	X eration. C	Conceptual stage.					
398	Yukon Well Field Development	City of Torrance	The project will construct four wells to reduce dependence on imported MWD water. The project will include land acquisition, well, treatment, and distribution construction.	Removed	X from consid	eration. C	Conceptual stage.					
11488		Los Angeles County Department of Public Works	The Santa Monica Canyon Channel, Low Flow Diversion No. 2 Project consists of the construction of a 6' high by 40' wide air-inflatable rubber dam in the concrete channel to capture and prevent urban runoff from discharging into Will Rogers State Beach. A control building will be required to house the rubber dam's air compressor and control panel. The runoff stored behind the rubber dam will be diverted into the diversion's intake system, which includes a trash separator, wet well, and pump. The diverted flows will be pumped into the City of Los Angeles' Coastal Interceptor Sewer for treatment at their Hyperion Treatment Plant.	Removed	from consid	X eration.						
331		Flood Control District	access/maintenance road improvements for the new/improved bikeway; AC repair and replacement, slurry seal, American Disability Act (ADA) access ramps and bikeway/pedestrian signage and striping. Lanscaping improvements include landscaping using native and drought-tolerant plants, irrigation, as-needed fencing repair/replacment. Elucational/interpretive signage will also be included along the bikeway/pedestrian trail. A study is also recommended to consider additional pedestrian corsswalks with street lamp lighting for added safety.		from consid	eration.						
354		Los Angeles County Flood Control District	Develop low-flow diversions within the Los Angeles Harbor watershed to comply w/ the Harbor Bacteria TMDL.	Removed	from consid	eration.						
	• •	Los Angeles County Flood Control District Marina del Rey	This project involves the installation of equipment to remotely monitor injection and observation wells to improve the overall effectiveness and efficiency in the operation of the West Coast Basin Seawater Barrier.  Installation of Bioretention filter system to capture sheet flow from the parking	Removed	X from consid	eration.						

ID#	Title	Agency	Description	DAC	Conserv	Flood	Total Project Cost	Matching Funds	Funding Needed (Min accept)	Environmental Documentation	Benefits	Readiness to Proceed & Start Date
	Bioretention	Watershed Responsible Agencies	lot. This parking lot is adjacent to Basin F. Due to the high groundwater table in the area, appropriate structural BMPs are very limited. Infiltration BMPs such as porous pavement are not feasible because the soil depth to groundwater is insufficient to allow proper filtration. Typical pollutants such as oil and grease from the parking lot would infiltrate into the groundwater and gradually seep out to Basin F.	Removed	from consid	eration.						
329	DBH Parking Lot 7	Marina del Rey	Installation of bioretention filter system to capture sheet flow from the parking									
	Bioretention	Watershed Responsible Agencies	lot. Runoff from this parking lot discharges to Basin E.	Removed	from consid	eration.						
313	Carson Regional Water	West Basin	The Carson Regional Water Recycling Expansion Project includes the		Х							
	Recycling Project	Municipal Water District	expansion of the existing recycled water treatment facility and the construction of several laterals. This is a new demand on the system and will require expansion of treatment process capacity and conveyance to include; lateral pipelines, pump stations, treatment units, storage tanks, and waste management facilities. The BP Refinery requires single-pass reverse osmosis treatment units. BP Refinery is estimating a need of 7,200 acre-feet per year (AFY), WRD is estimating a need of 2,000 AFY for the Dominguez Gap Barrier. The project will be further expanded to serve customers within the City of Los Angeles' jurisdiction for the refineries in the port area. The City will need recycled water to satisfy a use of 15,000 AFY. The City is in the preliminary design stage.		from consid	eration.						