

UPPER SANTA CLARA RIVER IRWM
DRAFT RANKING OF PROJECTS SUBMITTED FOR PROP 1 ROUND 1 IMPLEMENTATION
3-May-19

IRWMP "Project-Level" Projects			Pass/Fail Criteria												(a)(b)(c) IRWM Objectives (Critical Needs) Project must meet at least ONE objective (Max. of 27 pts) Strongly addresses objective = 4 pts Moderately addresses objective = 2 pts Slightly, or does not address objective = 0 pts Except for the Climate Change Objective which has a 1-3 point scale									(d) IRWMP Priority High = 12 pts Medium = 8 pts Low = 4 pts	(d) Readiness to Proceed/Other (Max of 14 pts; refer to Guidance Document)											Total Points	Rank
			Project must meet all criteria. Indicate Y/N, or Not Applicable (NA)												Urban Water Supplier Eligibility			Groundwater Eligibility																			
Project ID	Project Name	Project Sponsor	Eligible Applicant	Has or Will Adopt IRWMP	Consistent with a Statewide Priority	Expected Useful Life of at least 15 years	CEQA Complete in 12 months of funding award	Permits Complete in 12 months of funding award	Stormwater and/or Dry Weather Runoff Projects in SWRP	UWMP Compliance	SB 555 Water Loss Validation Report	CWC 525 Water Metering Requirements	GWMP Compliance/CASGEM Compliance	Approval from GSA	Reduce Potable Water Demand	Improve Water Supply	Improve Water Quality	Promote Resource Stewardship	Flooding/Hydromodification	Climate Change Adaptation	GHG Reduction	IRWMP Plan Prioritization	Contribute to Regional Water Self-Reliance	AB 1249 Compliance	50% Local Cost Share Confirmed	Benefits and Costs Defined and Quantified	Technical Feasibility Documented	Benefit a DAC/EDA/Tribe	Legal Access Rights, Easements Obtained?	Benefits to other IRWM Regions and/or Funding Area?	Employ Innovative Technology?	Total Points	Rank				
SC5	Newhall Memorial Park	City of Santa Clarita	Y	Y	Y	Y	Y	Y	Y	NA	NA	NA	NA	NA	2	4	4	4	4	3	2	12	1	1	1	2	3	1	2	1	1	48	1				
SC1	Santa Clara River Arundo Removal Program	City of Santa Clarita	Y	Y	Y	NA	Y	Y	NA	NA	NA	NA	NA	NA	4	4	2	4	4	4	2	8	1	1	2	2	3	0	2	1	1	45	2				
Hasley	Hasley Canyon Park Stormwater Capture Project	Los Angeles County	Y	Y	Y	Y	Y	Y	Y	NA	NA	NA	NA	NA	4	4	4	2	4	3	1	8	1	1	2	2	3	0	2	0	1	42	3				
SCVWater20	Recycled Water Pipeline Projects (Phase 2C)	Santa Clarita Valley Water Agency	Y	Y	Y	Y	Y	Y	NA	Y	Y	Y	Y	NA	4	4	2	2	0	2	3	8	1	1	2	2	3	0	2	0	1	37	4				
SCVSD1	Valencia WRP Advanced Water Treatment Facilities	Santa Clarita Valley Sanitation District	Y	Y	Y	Y	Y	Y	NA	NA	NA	NA	NA	NA	0	0	4	2	0	1	0	12	1	1	2	2	3	0	2	1	1	32	5				
SCVWater14	Central Park Recycled Water Main Extension (Phase 2A)	Santa Clarita Valley Water Agency	Y	Y	Y	Y	Y	Y	NA	Y	Y	Y	Y	NA	4	2	2	0	0	2	2	8	1	1	2	2	3	0	2	0	0	31	6				
SCVWater21	Sewer Trunk Line Relocation (Phase 2)	Santa Clarita Valley Water Agency	Y	Y	Y	Y	Y	Y	NA	Y	Y	Y	Y	NA	0	2	4	4	0	0	0	8	1	1	2	2	3	0	2	0	0	29	7				
SCVWater15	ESFP Sludge Collection System Project	Santa Clarita Valley Water Agency	Y	Y	Y	Y	Y	Y	NA	Y	Y	Y	Y	NA	0	2	2	0	0	0	0	4	1	1	2	2	3	0	2	0	0	19	8				
SCVWater13	Castaic Conduit Bypass Project	Santa Clarita Valley Water Agency	Y	Y	Y	Y	Y	Y	NA	Y	Y	Y	Y	NA	0	2	0	0	0	0	0	4	1	1	2	2	3	0	2	0	0	17	9				
SCVWater16	Honby Pipeline Phase II Project	Santa Clarita Valley Water Agency	Y	Y	Y	Y	Y	Y	NA	Y	Y	Y	Y	NA	0	2	0	0	0	0	0	4	1	1	2	2	3	0	2	0	0	17	9				

- Notes:
(a) IRWMP Table 3-1, as amended April 2018.
(b) Generally, the "Water Supply" objective was not considered to be met if a project reduced water demand, thereby making more water available. It was only considered to be met if new or additional water supply was created, such as additional recycled water.
(c) Projects that met the GHG Emission Reductions objective include those that reduced water demand resulting in less water having to be transported and/or treated.
(d) Per December (Draft) Project Prioritization Process.